



SHANGHAI

3F, Building Block 2, No. 3400 Gonghexin Road,
Jing'an District - Shanghai 200436, P.R. CHINA
上海市静安区共和新路3400号2幢3层

Tél. : +86 21 68 55 50 32

Fax : +86 21 68 55 50 33

E-mail : ctcshanghai@ctcgroupe.com

中国认可
国际互认
检测
TESTING
CNAS L4577

Page 1/3

TEST REPORT

Report No.: S240808986_1

22 August 2024

gcb@zgzzjlcz.com

APPLICANT: SHAOXING LINGLI SAFETY PROTECTION
ARTICLES CO., LTD (C39128)

SILIAN ROAD, INDUSTRY AREA FENGHUI, F
ENGHUI TOWN, SHANGYU CITY,
. ZHEJIANG ZHEJIANG
CHINA

Date of receipt : 19 Aug. 2024

Testing period : 22 Aug. 2024

: 22 Aug. 2024

Buyer: —

Test(s) requested : —

Service : REGULAR

Brand / Section : —

Season : —

End use : —

Factory name : —

Factory code : —

Previous report : —

Product category : —

Product type : —

Test stage : FIRST TEST

Supplier name : —

Exported to : —

1. Conclusion:

	Tests description	Conformity
	EN 388:2016+A1:2018	
1	Puncture resistance: 2016	Level 4

Pass: requirements met Fail: requirements not met None: no requirement for this test N/A: not applicable

Approved by

Henry YAN
Laboratory Manager

The report is issued by CTC Shanghai under its General Conditions printed overleaf. The results shown in this report refer only to the sample(s) tested. Except by special arrangement, the test items will not be retained by CTC Shanghai for more than 3 months. The test report shall not be reproduced, except in full, without the written approval of the testing laboratory.

To declare the conformity to the requirement, the uncertainty of measurement, associated to the test results, has not been taken into account.



TEST REPORT

Page 2/3


Report No.: S240808986_1

22 August 2024

APPLICANT: SHAOXING LINGLI SAFETY PROTECTION
ARTICLES CO., LTD (C39128)

2. Sample(s) description assigned by laboratory:

<u>Size</u>	<u>Analyzed product</u>	<u>Description</u>	<u>Sample information</u>
	MATERIAL	material	



240808986

TEST REPORT

Page 3/3

Report No.: S240808986_1

22 August 2024

APPLICANT: SHAOXING LINGLI SAFETY PROTECTION
ARTICLES CO., LTD (C39128)

3. MATERIAL/

material

	Method	Client Requirement	Unit	Result	Conformity
(+) 4.1. Puncture resistance: 2016	EN 388:2016 + A1:2018				
Puncture resistance			N	>450	
Puncture resistance (2)			N	>450	
Puncture resistance (3)			N	>450	
Puncture resistance (4)			N	>450	
Performance level				4	

END OF TEST REPORT

(+)CNAS accreditation

Unless otherwise specified, the physical test items in this report performed in CTC Shanghai lab were conditioned and tested in the environment of T 23±2°C / RH 50±4%.

Table of Performance Level for Glove

Test Item	Performance Level					
	0 ^{##}	1	2	3	4	5
Puncture Resistance (EN 388) Force (N) (minimum)	<20	20	60	100	150	---

Performance level 0 means the glove falls below the minimum performance level for the given individual hazard

The report is issued by CTC Shanghai under its General Conditions printed overleaf. The results shown in this report refer only to the sample(s) tested. Except by special arrangement, the test items will not be retained by CTC Shanghai for more than 3 months. The test report shall not be reproduced, except in full, without the written approval of the testing laboratory.

To declare the conformity to the requirement, the uncertainty of measurement, associated to the test results, has not been taken into account.

